



<b>Prüfbericht - Nr.: 238495049I2 001</b> <i>Test Report No.:</i>		<b>Seite 1 von 7</b> <i>Page 1 of 7</i>																			
<b>Auftraggeber:</b> <i>Client:</i>		Chi Mei Corporation No.398, Sec. 1, Zhongzheng Rd., Rende Dist., Tainan City 717010, Taiwan, R.O.C.																			
<b>Gegenstand der Prüfung:</b> METHYL METHACRYLATE-STYRENE COPOLYMER <i>Test Item:</i>																					
<b>Bezeichnung:</b> <i>Identification:</i>		ACRYPOLY® PM-500X																			
<b>Anlieferungszustand:</b> <i>Delivery condition:</i>		<b>Eingangsdatum:</b> 2020-12-04 <i>Date of Receipt:</i>																			
<b>Prüfort:</b> <i>Testing location:</i>		TÜV Rheinland (Shanghai) Co. Ltd.																			
<b>Prüfgrundlage:</b> <i>Test specification:</i>		According to RoHS (recast): Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment, 2011/65/EU Annex II and its amendment Directive (EU) 2015/863: Total Content of Lead, Cadmium, Mercury, Chromium VI, Polybrominated Biphenyls, Polybrominated Diphenyl Ethers; and Benzylbutyl phthalate (BBP), Dibutyl phthalate (DBP), Bis(2-ethylhexyl) phthalate (DEHP), Diisobutyl phthalate (DIBP) and Halogen (Fluorine, Chlorine, Bromine, Iodine), Antimony (Sb)																			
<b>Prüfergebnis:</b> <i>Test result:</i>		The test results are the measurements, stated in the test report.																			
<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p><b>geprüft: tested by:</b></p> <div style="text-align: center; margin-top: 20px;">                       2021-01-04 Arthur Cheng                      /Project Manager                 </div> </div> <div style="width: 45%;"> <p><b>kontrolliert: checked by:</b></p> <div style="text-align: center; margin-top: 20px;">                       2021-01-04 Yueh-Li Lin                      /Senior Project Coordinator                 </div> </div> </div> <table style="width: 100%; margin-top: 10px;"> <thead> <tr> <th style="width: 15%;">Datum</th> <th style="width: 30%;">Name/Stellung</th> <th style="width: 15%;">Unterschrift</th> <th style="width: 15%;">Datum</th> <th style="width: 30%;">Name/Stellung</th> <th style="width: 15%;">Unterschrift</th> </tr> <tr> <th><i>Date</i></th> <th><i>Name/Position</i></th> <th><i>Signature</i></th> <th><i>Date</i></th> <th><i>Name/Position</i></th> <th><i>Signature</i></th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table>				Datum	Name/Stellung	Unterschrift	Datum	Name/Stellung	Unterschrift	<i>Date</i>	<i>Name/Position</i>	<i>Signature</i>	<i>Date</i>	<i>Name/Position</i>	<i>Signature</i>						
Datum	Name/Stellung	Unterschrift	Datum	Name/Stellung	Unterschrift																
<i>Date</i>	<i>Name/Position</i>	<i>Signature</i>	<i>Date</i>	<i>Name/Position</i>	<i>Signature</i>																
<b>Sonstiges/ Other Aspects:</b> Test period: 2020-12-04 – 2021-01-04																					
<table style="width: 100%;"> <tr> <td style="width: 50%;"> <b>Abkürzungen:</b> ok / P = entspricht Prüfgrundlage                      fail / F = entspricht nicht Prüfgrundlage                      n.a. / N = nicht anwendbar                 </td> <td style="width: 50%;"> <b>Abbreviations:</b> ok / P = passed                      fail / F = failed                      n.a. / N = not applicable                 </td> </tr> </table>				<b>Abkürzungen:</b> ok / P = entspricht Prüfgrundlage fail / F = entspricht nicht Prüfgrundlage n.a. / N = nicht anwendbar	<b>Abbreviations:</b> ok / P = passed fail / F = failed n.a. / N = not applicable																
<b>Abkürzungen:</b> ok / P = entspricht Prüfgrundlage fail / F = entspricht nicht Prüfgrundlage n.a. / N = nicht anwendbar	<b>Abbreviations:</b> ok / P = passed fail / F = failed n.a. / N = not applicable																				
<p><b>Produktinformationen werden vom Kunden bereitgestellt. Das Testergebnis wird nach Art und Umfang der durchgeführten Tests gezogen. Dieser Prüfbericht bezieht sich auf das oben genannte Prüfmuster. Ohne Genehmigung des Testzentrums darf dieser Testbericht nicht in Auszügen vervielfacht werden. Dieser Prüfbericht berechtigt nicht zum Tragen eines Prüfzeichens auf diesem oder ähnlichen Produkten.</b></p> <p><i>Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed. This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.</i></p>																					

Test Report No. : 238495049I2 001  
Customer : Chi Mei Corporation  
Test Method : Total Cadmium, Lead, Mercury, Chromium  
- Ref. to IEC 62321-4:2013 and IEC 62321-5:2013  
Chromium (VI)  
- For Metal material - Ref. to IEC 62321-7-1:2015  
- For Plastic or Electronic material - Ref. to IEC 62321-7-2:2017  
- For Leather material - Ref. to EN ISO 17075-1:2017  
PBBs, PBDEs - Ref. to IEC 62321-6:2015

2021-01-04

Sample Material Lab.-No.		RL	ACRYPOLY® PM-500X plastic/transparent TCL201204-94
Cadmium (Cd)	mg/kg	2	< RL
Lead (Pb)	mg/kg	2	< RL
Mercury (Hg)	mg/kg	2	< RL
Chromium VI (Cr VI)*	mg/kg	8	< RL
<b>Sum of Polybrominated biphenyls (PBBs)</b>	mg/kg	-	< RL
Monobromobiphenyl	mg/kg	5	< RL
Dibromobiphenyl	mg/kg	5	< RL
Tribromobiphenyl	mg/kg	5	< RL
Tetrabromobiphenyl	mg/kg	5	< RL
Pentabromobiphenyl	mg/kg	5	< RL
Hexabromobiphenyl	mg/kg	5	< RL
Heptabromobiphenyl	mg/kg	5	< RL
Octabromobiphenyl	mg/kg	5	< RL
Nonabromobiphenyl	mg/kg	5	< RL
Decabromobiphenyl	mg/kg	5	< RL
<b>Sum of Polybrominated diphenyl ethers (PBDEs)</b>	mg/kg	-	< RL
Monobromodiphenyl ether	mg/kg	5	< RL
Dibromodiphenyl ether	mg/kg	5	< RL
Tribromodiphenyl ether	mg/kg	5	< RL
Tetrabromodiphenyl ether	mg/kg	5	< RL
Pentabromodiphenyl ether	mg/kg	5	< RL
Hexabromodiphenyl ether	mg/kg	5	< RL
Heptabromodiphenyl ether	mg/kg	5	< RL
Octabromodiphenyl ether	mg/kg	5	< RL
Nonabromodiphenyl ether	mg/kg	5	< RL
Decabromodiphenyl ether	mg/kg	5	< RL

Notes:

- < = less than
- RL = Reporting Limit
- n.a. = not applicable
- mg/kg = milligram per kilogram
- \* Once the total Cr content in metal/ plastic or electronic sample is found to be exceeded the limit, the Cr (VI) content will be confirmed with reference to IEC 62321-7-1:2015/ IEC 62321-7-2:2017

	Cd	Cr(VI)	Pb	Hg	PBBs	PBDEs
<b>Maximum permissible Limit acc. to 2011/65/EU (mg/kg)</b>	100	1000	1000	1000	1000	1000

Test Report No. : 238495049I2 001  
 Customer : Chi Mei Corporation  
 Test Method : BBP/DBP/DEHP/DIBP - Ref. to IEC 62321-8:2017  
 Halogen - Following EN 14582; determination by I.C.  
 Antimony (Sb) - Acid digestion, analyzed by ICP-OES

2021-01-04

Sample Material Lab.-No.		RL	ACRYPOLY® PM-500X plastic/transparent TCL201204-94
Benzylbutylphthalate (BBP)	mg/kg	50	< RL
Dibutylphthalate (DBP)	mg/kg	50	< RL
Diethylhexylphthalate (DEHP)	mg/kg	50	< RL
Diisobutylphthalate (DIBP)	mg/kg	50	< RL

	BBP	DBP	DEHP	DIBP
<b>Maximum permissible Limit acc. to (EU) 2015/863 (mg/kg)</b>	1000	1000	1000	1000

Sample Material Lab.-No.			ACRYPOLY® PM-500X plastic/transparent TCL201204-94
Halogen	Unit	RL	Result
Fluorine (F)	mg/kg	50	< RL
Chlorine (Cl)	mg/kg	50	< RL
Bromine (Br)	mg/kg	50	< RL
Iodine (I)	mg/kg	50	< RL

Sample Material Lab.-No.		RL	ACRYPOLY® PM-500X plastic/transparent TCL201204-94
Antimony (Sb)	mg/kg	10	< RL

**Notes:**

- < = less than
- RL = Reporting Limit
- n.a. = not applicable
- mg/kg = milligram per kilogram

Test Report No. : 23849504912 001  
Customer : Chi Mei Corporation

2021-01-04

**Test Sample**




Test Report No. : 238495049I2 001  
Customer : Chi Mei Corporation

2021-01-04

### Testing procedure:

RoHS (Pb, Cd, Hg, Cr(VI)), Sb




Notes: <sup>1)</sup> For metallic material  
<sup>2)</sup> For non-metallic material

Test Report No. : 238495049I2 001  
Customer : Chi Mei Corporation

2021-01-04

**Testing procedure:**

RoHS (PBBs/PBDEs, DEHP/DBP/BBP/DIBP)




Test Report No. : 238495049I2 001  
Customer : Chi Mei Corporation

2021-01-04

**Testing procedure:**

Halogen



--- End of Test-Report ---